



## PRIOR AUTHORIZATION POLICY

- POLICY:** Vecamyl Prior Authorization Policy
- Vecamyl™ (mecamylamine hydrochloride tablets – Tilde)

**REVIEW DATE:** 07/09/2025

---

### **INSTRUCTIONS FOR USE**

THE FOLLOWING COVERAGE POLICY APPLIES TO HEALTH BENEFIT PLANS ADMINISTERED BY CIGNA COMPANIES. CERTAIN CIGNA COMPANIES AND/OR LINES OF BUSINESS ONLY PROVIDE UTILIZATION REVIEW SERVICES TO CLIENTS AND DO NOT MAKE COVERAGE DETERMINATIONS. REFERENCES TO STANDARD BENEFIT PLAN LANGUAGE AND COVERAGE DETERMINATIONS DO NOT APPLY TO THOSE CLIENTS. COVERAGE POLICIES ARE INTENDED TO PROVIDE GUIDANCE IN INTERPRETING CERTAIN STANDARD BENEFIT PLANS ADMINISTERED BY CIGNA COMPANIES. PLEASE NOTE, THE TERMS OF A CUSTOMER'S PARTICULAR BENEFIT PLAN DOCUMENT [GROUP SERVICE AGREEMENT, EVIDENCE OF COVERAGE, CERTIFICATE OF COVERAGE, SUMMARY PLAN DESCRIPTION (SPD) OR SIMILAR PLAN DOCUMENT] MAY DIFFER SIGNIFICANTLY FROM THE STANDARD BENEFIT PLANS UPON WHICH THESE COVERAGE POLICIES ARE BASED. FOR EXAMPLE, A CUSTOMER'S BENEFIT PLAN DOCUMENT MAY CONTAIN A SPECIFIC EXCLUSION RELATED TO A TOPIC ADDRESSED IN A COVERAGE POLICY. IN THE EVENT OF A CONFLICT, A CUSTOMER'S BENEFIT PLAN DOCUMENT ALWAYS SUPERSEDES THE INFORMATION IN THE COVERAGE POLICIES. IN THE ABSENCE OF A CONTROLLING FEDERAL OR STATE COVERAGE MANDATE, BENEFITS ARE ULTIMATELY DETERMINED BY THE TERMS OF THE APPLICABLE BENEFIT PLAN DOCUMENT. COVERAGE DETERMINATIONS IN EACH SPECIFIC INSTANCE REQUIRE CONSIDERATION OF 1) THE TERMS OF THE APPLICABLE BENEFIT PLAN DOCUMENT IN EFFECT ON THE DATE OF SERVICE; 2) ANY APPLICABLE LAWS/REGULATIONS; 3) ANY RELEVANT COLLATERAL SOURCE MATERIALS INCLUDING COVERAGE POLICIES AND; 4) THE SPECIFIC FACTS OF THE PARTICULAR SITUATION. EACH COVERAGE REQUEST SHOULD BE REVIEWED ON ITS OWN MERITS. MEDICAL DIRECTORS ARE EXPECTED TO EXERCISE CLINICAL JUDGMENT WHERE APPROPRIATE AND HAVE DISCRETION IN MAKING INDIVIDUAL COVERAGE DETERMINATIONS. WHERE COVERAGE FOR CARE OR SERVICES DOES NOT DEPEND ON SPECIFIC CIRCUMSTANCES, REIMBURSEMENT WILL ONLY BE PROVIDED IF A REQUESTED SERVICE(S) IS SUBMITTED IN ACCORDANCE WITH THE RELEVANT CRITERIA OUTLINED IN THE APPLICABLE COVERAGE POLICY, INCLUDING COVERED DIAGNOSIS AND/OR PROCEDURE CODE(S). REIMBURSEMENT IS NOT ALLOWED FOR SERVICES WHEN BILLED FOR CONDITIONS OR DIAGNOSES THAT ARE NOT COVERED UNDER THIS COVERAGE POLICY (SEE "CODING INFORMATION" BELOW). WHEN BILLING, PROVIDERS MUST USE THE MOST APPROPRIATE CODES AS OF THE EFFECTIVE DATE OF THE SUBMISSION. CLAIMS SUBMITTED FOR SERVICES THAT ARE NOT ACCOMPANIED BY COVERED CODE(S) UNDER THE APPLICABLE COVERAGE POLICY WILL BE DENIED AS NOT COVERED. COVERAGE POLICIES RELATE EXCLUSIVELY TO THE ADMINISTRATION OF HEALTH BENEFIT PLANS. COVERAGE POLICIES ARE NOT RECOMMENDATIONS FOR TREATMENT AND SHOULD NEVER BE USED AS TREATMENT GUIDELINES. IN CERTAIN MARKETS, DELEGATED VENDOR GUIDELINES MAY BE USED TO SUPPORT MEDICAL NECESSITY AND OTHER COVERAGE DETERMINATIONS.

### **CIGNA NATIONAL FORMULARY COVERAGE:**

#### **OVERVIEW**

Vecamyl, a nicotinic parasympathetic ganglionic blocker, is indicated for the following uses:<sup>1</sup>

- **Moderately severe to severe essential hypertension.**
- **Uncomplicated malignant hypertension.**

#### **Guidelines**

The clinical practice guidelines from the American College of Cardiology (ACC)/American Heart Association (AHA) Task Force (2017) state the prevalence of severe hypertension has been declining, but approximately 12.3% of US adults with hypertension have an average systolic blood pressure  $\geq 160$  mm Hg or average diastolic blood pressure  $\geq 100$  mm Hg. Numerous classes of antihypertensive agents are available to treat high blood pressure. Vecamyl is not suggested as a primary or secondary agent in the treatment of hypertension. The ACC/AHA guidelines advise selection among four specific medication classes (thiazide-type diuretics, calcium

channel blockers, angiotensin-converting enzyme inhibitors, or angiotensin receptor blockers) as initial and secondary choices in treatment.<sup>2</sup>

## **POLICY STATEMENT**

Prior Authorization is recommended for prescription benefit coverage of Vecamyl. All approvals are provided for the duration noted below.

• **Vecamyl™ (mecamylamine hydrochloride tablets – Tilde)**  
**is(are) covered as medically necessary when the following criteria is(are) met for FDA-approved indication(s) or other uses with supportive evidence (if applicable):**

### **FDA-Approved Indications**

- 1. Essential Hypertension, Moderately Severe to Severe.** Approve for 1 year if the patient meets BOTH of the following (A and B):
  - A)** Patient has tried four antihypertensive therapies, each from different pharmacologic classes (e.g., diuretics, calcium channel blockers, angiotensin-converting enzyme inhibitors, and angiotensin receptor blockers [as single-entity or as combination products]); AND
  - B)** For each of these agents, patient meets ONE of the following (i or ii):
    - i.** Patient has had inadequate efficacy; OR
    - ii.** Patient has experienced adverse event(s) severe enough to warrant discontinuation of this agent, according to the prescriber.
  
- 2. Uncomplicated Malignant Hypertension.** Approve for 1 year if the patient meets BOTH of the following (A and B):
  - A)** Patient has tried four antihypertensive therapies, each from different pharmacologic classes (e.g., diuretics, calcium channel blockers, angiotensin-converting enzyme inhibitors, and angiotensin receptor blockers [as single-entity or as combination products]); AND
  - B)** For each of these agents, patient meets ONE of the following (i or ii):
    - i.** Patient has had inadequate efficacy; OR
    - ii.** Patient has experienced adverse event(s) severe enough to warrant discontinuation of this agent, according to the prescriber.

### **CONDITIONS NOT COVERED**

• **Vecamyl™ (mecamylamine hydrochloride tablets – Tilde)**  
**is(are) considered not medically necessary for ANY other use(s) including the following (this list may not be all inclusive; criteria will be updated as new published data are available):**

- 1. Tourette Syndrome.** Limited data are available to validate the use of mecamylamine in Tourette Syndrome. A clinical trial has shown

mecamylamine to not be an effective treatment for tics or for the total spectrum of symptoms associated with Tourette Syndrome.<sup>4</sup>

## REFERENCES

1. Vecamyl™ tablets [prescribing information]. New York, NY: Vyera; November 2022.
2. Whelton P, Carey R, Aronow W, et al. 2017 ACC/AHA/AAPA/ABC/ACPM/AGS/APhA/ASH/ASPC/NMA/PCNA Guideline for the Prevention, Detection, Evaluation, and Management of High Blood Pressure in Adults: A Report of the American College of Cardiology/American Heart Association Task Force on Clinical Practice Guidelines. *Hypertension*. 2018;71:e13-e115.
3. Silver A, Shytle RD, Sheehan K, et al. Multicenter, double-blind, placebo-controlled study of mecamylamine monotherapy for Tourette's Disorder. *J Am Acad Child Adolesc Psychiatry*. 2001;40:9: 1103-1110.

## HISTORY

Type of Revision	Summary of Changes	Review Date
Annual Revision	No criteria changes.	06/14/2023
Annual Revision	No criteria changes.	07/03/2024
Annual Revision	No criteria changes.	07/09/2025

"Cigna Companies" refers to operating subsidiaries of The Cigna Group. All products and services are provided exclusively by or through such operating subsidiaries, including Cigna Health and Life Insurance Company, Connecticut General Life Insurance Company, Evernorth Behavioral Health, Inc., Cigna Health Management, Inc., and HMO or service company subsidiaries of The Cigna Group. © 2025 The Cigna Group.